
ELECTRIC HYDRAULIC SCISSOR LIFT TABLE - EHLT-48102-1-79

*** ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE *** ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON



STANDARD FEATURES

MODEL NUMBER IS EHLT-48102-1-79 PLATFORM WIDTH IS 48 3/8" PLATFORM LENGTH IS 102 3/8" PLATFORM RAISED HEIGHT IS 79" PLATFORM LOWERED HEIGHT IS 7" TABLE CAPACITY (EVENLY DISTRIBUTED) LOAD IS 1,000 LBS INTERNAL POWER UNIT STANDARD CONTROL IS 24 VOLT CONTROL IS HANDHELD, 2 BUTTON, NEMA 4 PENDANT WITH MINIMUM 8' USABLE COIL CORD SAFETY MAINTENANCE PROPS, DISPLACEMENT STYLE CYLINDERS INSTALLED ROD DOWN **EMERGENCY SAFETY STOP HYDRAULIC FUSES** IN ALL CYLINDERS UNITS HAVE 2' TEST LEAD AND PIG TAIL **DURABLE LIQUID PAINT BLUE FINISH**

POWER	AC		-DC	: (1:	2V)	Alf	R/OIL
MOTOR VOLTAGE			115	208	3	230	460
DEDICATED CIRCUIT REQUIRED 60Hz							
MOTOR PHASE		SI	NGL	[THREE		
CONTROL		H	IANE)			

DECK TOLERANCE± 1/2" TABLE HEIGHT TOLERANCE ± 1/2" DECK FLATNESS ± 1/4"

REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION Ρ COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS R UNITS REQUIRING APPROVAL DRAWINGS OR 0 MODIFIED ARE NON-RETURNABLE ٧ [] As drawn [] As marked

I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS

REPRESENTED SATISFIES DESIGN AND DIMENSION

Signed: Date: **Printed Name:**

LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING DISTRIBUTOR'S NAME:

QUOTE #

Χ

VESTIL	MANUFACTURING

QUOTED LEAD TIME: $_{
m Y}$

W.O.# SALES: X 10/11/2017 SCALE: 1:24 FILE NAME:

24-007-421-002

SPECIAL FEATURES

NONE