
## LIFT AND TILT SCISSOR TABLE - EHLTT-3648-2-47

APPROX WEIGHT: 1005 lbs.

\*\*\* ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE \*\*\*



## STANDARD FEATURES

MODEL NUMBER: EHLTT-3648-2-47 MAX. CAPACITY: 2,000 LBS

FRAME WIDTH: 30"

**OVERALL LENGTH: 55 1/2"** PLATFORM WIDTH: 36"

PLATFORM LENGTH: 47 3/4" PLATFORM RAISED HEIGHT: 47" PLATFORM LOWERED HEIGHT: 11"

**OVERALL HEIGHT: 83"** 

PLATFORM TILTS ON THE END OF THE LEG ASSEMBLY

PLATFORM TILTING STYLE IS A SLIDE TILT

 $\phi$  1/4" X 60" Chain and hook (not drawn to scale)

MAXIMUM TILT ANGLE IS 45°

INTERNAL POWER UNIT CONTROL IS HANDHELD, 4 BUTTON, NEMA 4 PENDANT WITH MINIMUM 8' USABLE COIL CORD DURABLE LIQUID PAINT BLUE FINISH

PLEASE CIRCLE SPECIFICATIONS.								
	POWER	AC •		<del>-DC</del>	DC (12V)		AIR/OIL	
	MOTOR V	OLTA	GE+	115	200	230	460	
	DEDICATED CIRCUIT REQUIRED 60Hz							
	MOTOR P	HASE <del>SH</del>		HOL	HOLE		THREE	
	CONTR	OL	H	HAND	) —	FO(	)Ţ	

U U U						
DC (1	27)	<b>/</b>	<del>/OIL</del>	•		
115 20	0 2	<del>30</del>	460			
CUIT REQUIRED 60Hz						
CINCLE		THR	EE			
HAND	FOOT		•			

REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION
COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE
AND LOCAL REGULATIONS AND STANDARDS.
UNITS REQUIRING APPROVAL DRAWINGS OR Ρ Ρ

MODIFIED ARE NON-RETURNABLE [ ] As drawn [ ] As marked

Signed:	Date:
Printed Name:	

LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING

DISTRIBUTOR'S NAME:		P.O.# _
VESTIL MANUFAC	TURING	W.O.# -
JRAWN RY:	DATE:	CALEC

07/22/2021 REFERENCE:

SCALE: 1:25 FILE NAME: QUOTED LEAD TIME: QUOTE # 02-007-333-001

NONE

SPECIAL FEATURES